

Certificate of Compliance

Certificate Number:

UL-US-2415094-0

Report Reference:

E502732-20240415

Issue Date:

2024-05-03

Issued to:

NOARK ELECTRIC USA INC 2188 Pomona Blvd Pomona, CA 91768 United States

This certificate confirms that representative samples of:

PAQX - Low-voltage AC Power Circuit Breakers

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

IEEE C37.13, 1st Ed., Issue Date: 2015-12-05, IEEE C37.17, Issue Date 2022-11-08, UL 1066, Edition 5, Issue Date 2022-08-08, NEMA C37.50, Issue Date: 2018-03-29

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Manager

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2415094-0 Report reference E502732-20240415

Date 2024-05-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
A25, followed by Q, R or H, followed by 3 or 4, followed by	Low-Voltage Power Circuit Breakers
F, followed by H, V or S, followed by 600, 800, 1200, 1600,	
2000 or 2500, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	
followed by Q, R or H, followed by 3 or 4, followed by D,	
followed by H, V or S, followed by 600, 800, 1200, 1600 or	
2000, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	
ASD25, followed by Q, R or H, followed by 3 or 4, followed	Low-Voltage Power Circuit Breakers
by F, followed by H, V or S, followed by 600, 800, 1200,	
1600, 2000 or 2500, maybe followed by additional alpha-	
numeric characters for accessories and/or special	
features.	
followed by Q, R or H, followed by 3 or 4, followed by D,	
followed by H, V or S, followed by 600, 800, 1200, 1600 or	
2000, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	

David Piecuch

UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-CA-2412437-0

Report Reference:

E502732-20240415

Issue Date:

2024-05-03

Issued to:

NOARK ELECTRIC USA INC 2188 Pomona Blvd Pomona, CA 91768 United States

This certificate confirms that representative samples of:

PAQX7 - Low-voltage AC Power Circuit Breakers Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 31, 12th Ed., Issue Date: 2023-08, IEEE C37.17, Issue Date 2022-11-08

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Manager



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2412437-0 Report reference E502732-20240415

Date 2024-05-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
A25, followed by Q, R or H, followed by 3 or 4, followed by	Low-Voltage Power Circuit Breakers
F, followed by H, V or S, followed by 600, 800, 1200, 1600,	
2000 or 2500, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	
followed by Q, R or H, followed by 3 or 4, followed by D,	
followed by H, V or S, followed by 600, 800, 1200, 1600 or	
2000, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	
ASD25, followed by Q, R or H, followed by 3 or 4, followed	Low-Voltage Power Circuit Breakers
by F, followed by H, V or S, followed by 600, 800, 1200,	
1600, 2000 or 2500, maybe followed by additional alpha-	
numeric characters for accessories and/or special	
features.	
followed by Q, R or H, followed by 3 or 4, followed by D,	
followed by H, V or S, followed by 600, 800, 1200, 1600 or	
2000, maybe followed by additional alpha-numeric	
characters for accessories and/or special features.	

David Piecuch

UL Mark Certification Program Manager

