Certificate Number UL-US-L502732-11-30300202-2

Report Reference E502732-20200303

Date 6-Jun-2023

Issued to: NOARK ELECTRIC USA INC

2188 Pomona Blvd Pomona, CA 91768

United States

This is to certify that representative samples of

PAQX - Low-voltage AC Power Circuit Breakers See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: IEEE C37.13, 1st Ed., Issue Date: 2015-12-05, IEEE

C37.17, 1st Ed., Issue Date: 2012-06-08, NEMA C37.50, Issue Date: 2018-03-29, UL 1066, Edition 5, Issue Date

2022-08-08

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Webrah Jennings - Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Certificate Number UL-US-L502732-11-30300202-2

Report Reference E502732-20200303

> **Date** 6-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A40, followed by Q, R or H, followed by 3 or 4, followed	Low-Voltage Power Circuit Breakers
by F, followed by V, followed by 4000.	LATILATILATILATI
ASD40, followed by Q, R or H, followed by 3 or 4,	Low-Voltage Power Circuit Breakers
followed by F, followed by V, followed by 4000.	\angle \angle \angle \angle \angle \angle \angle
Cat No. A, followed by 32, followed by Q, R or H,	Low-voltage AC Power Circuit Breakers
followed by 3 or 4, followed by F or D, followed by H or	
V, followed by 800, 1600, 2000, 2500 or 3200	
Cat No. ASD, followed by 32, followed by Q, R or H,	Low-voltage AC Power Circuit Breakers
followed by 3 or 4, followed by F or D, followed by H or	IF AGIL AGIL AGIL AGIL AG
V, followed by 800, 1600, 2000, 2500 or 3200	「L八~L八~L八~L八~L八)

Octoah Jennings-Course Deborah Jennings-Conner, VP Regulatory Services

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-CA-L502732-21-30300202-2

Report Reference E502732-20200303

Date 6-Jun-2023

Issued to: NOARK ELECTRIC USA INC

2188 Pomona Blvd Pomona, CA 91768

United States

This is to certify that representative samples of

PAQX7 - Low-voltage AC Power Circuit Breakers Certified

for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 31-18, 11th Ed., Issue Date: 2018-01-01

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



U

Deborah Jennings-Conner, VP Regulatory Services

Certificate Number UL-CA-L502732-21-30300202-2

Report Reference E502732-20200303

Date 6-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A40, followed by Q, R or H, followed by 3 or 4, followed	Low-Voltage Power Circuit Breakers
by F, followed by V, followed by 4000.	L-VIII-VIII-VIII-VIII-VI
ASD40, followed by Q, R or H, followed by 3 or 4,	Low-Voltage Power Circuit Breakers
followed by F, followed by V, followed by 4000.	
Cat No. A, followed by 32, followed by Q, R or H,	Low-voltage AC Power Circuit Breakers
followed by 3 or 4, followed by F or D, followed by H or	DIXUEXUEXUEXUEXUEX
V, followed by 800, 1600, 2000, 2500 or 3200	
Cat No. ASD, followed by 32, followed by Q, R or H,	Low-voltage AC Power Circuit Breakers
followed by 3 or 4, followed by F or D, followed by H or	IS AND AND AND AND AN
V, followed by 800, 1600, 2000, 2500 or 3200	ことバストングストングストングスドング

Debrah Jenning-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

